




K 4 Compact *GB


Easy to transport and quick to stow away: the K 4 Compact for occasional use on moderate dirt. Includes telescopic handle and water-cooled motor. $30 \text{ m}^2/\text{h}$ area performance.





TECHNICAL DATA AND EQUIPMENT

KARCHER



K 4 Compact *GB

Quick Connect: the high-pressure hose is easy to handle,

- clicking quickly in and out of the device and trigger gun
- Integrated suction mechanism for detergents

Technical data		
Order no.		1.637-501.0
EAN code		4054278497198
Pressure	bar / MPa	20-130 /
Flow rate	l/h	420
Max. inlet temperature	°C	max. 40
Connection load	kW	1.8
Weight without accessories	kg	11
Dimensions (L × W × H)	mm	348 × 308 × 520
Equipment		
High-pressure gun		G 180 Q
Vario Power Jet		1
High-pressure hose	m	6
Quick Connect on the side of the device	2	1
Water suction		8
Integrated water filter		1
A3/4" garden hose connector adapter		8
Telescopic handle		8
Water-cooled motor		1
Included in the scope of supply.		

			5			
Spray lances		Order no.	Price	Description		
VP 145 vario power jet Full Con- trol for K 4-K 5		2.642-725.0		Vario power spray lance for pressure washers in classes K 4 to K 5. Continuously adjustable from low-pressure detergent jet to high-pressure jet, simply by turning the spray lance.		
DB 145 dirt blaster Full Control for K 4-K 5	2	2.642-728.0		Dirt blaster with powerful middle rotary nozzle for Kärcher pressure washers in classes K 4 and K 5. For particularly stubborn dirt like that on mossy or weathered surfaces.		
Telescopic spray lance	3	2.642-347.0		Telescopic spray lance (1.20 m - 4 m) for easy cleaning of difficult to reach areas. With shoulder strap, bayonet con- nection and integrated, ergonomically adjustable trigger gur Weight: ca. 2 kg		
Splash guard	4	2.642-706.0		Transparent splash guard for class K 2 to K 7 Kärcher pres- sure washers protects the operator and surrounding area		
Angled spray lance	5	2.638-817.0		from spray water. Ideal for cleaning corners and edges. Extra-long angled spray lance (about 1 m) for easy cleaning of difficult to reach areas, e.g. roof gutters or vehicle under- bodies. Extends spray lance by 0.4 m. For effective cleaning of difficult to reach areas. Suitable for all Kärcher accessories.		
1-step lance extension	6	2.643-240.0				
VP 180 S vario power jet short 360° for K 2-K 7	7	2.643-254.0		VP 180 S: The vario power jet short 360° with infinitely variable pressure regulation and adjustable 360° joint is ideal for cleaning areas that are difficult to reach.		
MP 145 multi power jet for K 3-K 5	8	2.643-239.0		Multi power jet with 5 types of jets: Cleaning agent jet, HP fan jet, rotary nozzle, pencil jet and wide reduced-pressure fan jet. The suitable jet can be selected by simply twisting.		
Vario Power Jet Short 360° VP 145 S for K 2 - K 4	9	2.643-253.0		VP 145 S: The Vario Power Jet Short 360° with infinitely variable pressure regulation and adjustable 360° joint is		
Trigger guns				ideal for cleaning areas that are difficult to reach.		
G 180 Q Quick Connect trigger gun	10	2.642-889.0		The new G 180 Q spray gun with Quick Connect is 13 cm longer and is now even more convenient to use and more ergonomic when cleaning with Kärcher pressure washers.		
Surface cleaners	11	2.644-074.0	1	Power nozzle for ultimate cleaning power, even in corners		
T 7 Plus T-Racer surface cleaner	11	2.644-074.0		and along edges: The T 7 Plus T-Racer surface cleaner with rinse function – for effective and splash-free cleaning of large areas.		
T 5 T-Racer surface cleaner	12	2.644-084.0		Thorough and splash-free cleaning over large areas: The T 5 T-Racer surface cleaner. The adjustable nozzle position means the surface cleaner can be used to clean hard and delicate surfaces alike.		
PS 30 power scrubber surface cleaner	13	2.644-123.0		The PS 30 power scrubber, with its three integrated high-pressure nozzles, powerfully removes stubborn dirt from various surfaces, while saving time. Ideal for stairs and [] edges. Includes integrated squeegee blade to remove the dirty water.		
Replacement nozzles accessories for T 350	14	2.643-335.0		The high-quality replacement nozzles guarantee easy nozzle changing and are suitable for the T-Racer T 300 / T 350		
T-Racer T 250 Surface Cleaner	15	2.642-194.0		Surface cleaners for the pressure washer ranges K 2 to K 7. T 250 T-Racer for spray-free surface cleaning. With extra handle for cleaning vertical surfaces. The accessories are suitable for Kärcher Home&Garden pressure washers, class- es K 2 - K 7.		



		Order no.			Price	Description	
T 450 T-Racer surface cleaner	16	2.643-214.0				Cleans large surfaces without splashing: T-Racer surface cleaner T 450. Extra power nozzle for corners and edges, handle for vertical cleaning, protection grid for gravel sur- faces, cleaning pressure adjustment.	
PS 40 power scrubber surface cleaner	17	2.643-245.0				Power Scrubber PS 40 with 3 integrated high-pressure nozzles. Eliminates stubborn dirt from various surfaces powerfully, reliably and in a time-saving manner. Ideal for stairs and edges. Includes integrated squeegee blade to remove the dirty water.	
T 350 T-Racer surface cleaner	18	2.643-252.0				With the T-Racer surface cleaner T 350, large surfaces can be cleaned without splashing. Continuous pressure adjust- ment for hard and sensitive surfaces. Handle for vertical cleaning.	
Replacement nozzles accessories	19	2.643-338.0				High-quality replacement nozzles for all T-Racer surface cleaners (except T 350) for unit classes K 2 to K 7, gutter cleaner PC 20 for K 3 to K 7, as well as chassis cleaner for H 2 to K 5.	<
Brushes							
WB 150 power brush	20	2.643-237.0				WB 150 power brush for splash-free cleaning of sensitive surfaces. The effective combination of high pressure and manual brush pressure saves energy, water and up to 30% time.	
WB 120 rotating wash brush	21	2.644-060.0				Rotating wash brush with interchangeable attachment for cleaning all smooth surfaces such as paint, glass or plastic. Quick and easy attachment changing thanks to the integrat- ed release lever.	
WB 120 rotating wash brush Car & Bike	22	2.644-129.0				Gently cleans cars and motorbikes: The rotating wash brush with innovative soft microfibre interchangeable attachment Car & Bike. Machine washable at 60 °C.	
WB 60 soft surface wash brush	23	2.643-233.0				Soft brush for cleaning large areas, e.g. cars, caravans, boats conservatories or roller shutters). Working width of 248 mm ensures good coverage.	
Wheel washing brush	24	2.643-234.0				Wheel washing brush for effective cleaning also in difficult to reach areas. Uniform 360° water distribution for a perfec cleaning result.	
Garden hose adapter	25	2.640-732.0				Adapter for garden hose connection – suitable for attaching all Kärcher brushes to garden hoses with the quick-coupling system.	
Rotating wash brush	26	2.644-061.0				Ideal for cleaning smooth surfaces such as paint, glass or plastic: The rotating wash brush with interchangeable at- tachment.	
High-pressure replacement hose: W	ith an	ti-twist system and	Quick Connect	system			
H 10 Q Flex PremiumFlex anti twist	27	2.643-585.0				Innovative PremiumFlex high-pressure hose with anti-twist system for twist-free work. 10 m long. Includes Quick Con- nect adaptor. For devices in the K 2 to K 7 ranges. Not suitable for hose reel devices or for Full Control devices in the K 4 to K 7 ranges.	
High-pressure replacement hose: sy	/stem	from 2009 with Qui	ck Connect sys	tem			
H 9 Q high-pressure hose Quick Connect	28	i i				9 m high-pressure replacement hose for K 2 to K 7 pressure washers manufactured since 2009, on which the hose is attached to the spray gun and device with a Quick Connect quick coupling. 180 bar, 60°C.	

29 30		31	Ģ	32	Ţ	33	-	34	35	
36 37		Order no.		41		42 Price	Descript	43	44	
High-Pressure replacement hose ki	it syste									
Extension hose adapter kit	1	2.643-037.0					screw th		ecting an extension hose wit sher with a Quick Connect hines.	h 🗆
High-pressure extension hose: Syst XH 10 Q Quick Connect extension hose	tem foi 30		onnect system				robust D	N 8 quality hose for e	for greater flexibility. 10 m excellent durability. For K 3 to	
XH 6 Q extension hose Quick Connect	31	2.641-709.0					K 7 devices from 2008 or later with Quick Connect adapter. High-pressure extension hose for greater flexibility. 6 m robust DN 8 quality hose for durability. For K 2 to K 7 series from 2008 with Quick Connect adapter. Connect between			
XH 10 QR extension hose Quick Connect rubber	32	2.641-708.0					 spray gun and high-pressure hose. High-pressure extension rubber hose for greater flexibility. 10 m high-quality hose, steel reinforced for durability. For K 3 to K 7 series from 2008 with Quick Connect adapter. 			
Pipe cleaning							Connect	between trigger gun a	and high-pressure hose.	
PC 20 roof gutter and pipe clean- ing kit	33	2.642-240.0					The gutter and pipe cleaning kit works all by itself - with high pressure. It easily cleans outflows, pipe blockages and gutters. Hose length: 20m.			
PC 15 pipe cleaning kit	34	2.637-767.0						ning kit with 15 m ho ains and downpipes.	se for clearing blockages in	
PC 7.5 pipe cleaning kit	35	2.637-729.0					Pipe clea	ning kit with 7.5 m h	ose for clearing blockages in	
Pipe cleaning kit 7.5 m	36	2.642-790.0					pipes, drains and downpipes. Pipe cleaning kit for clearing blockages in pipes, drains, downpipes, etc.			
Foam jet		<u> </u>						es, etc.		
FJ 6 foam jet	37	2.643-147.0					foam cle	aner). For cars, motor	with powerful foam (e.g. ultr cycles etc. and for applying I wood surfaces and façades.	
FJ 10 C Connect 'n' Clean foam jet + 3-in-1 Ultra Foam Cleaner		2.643-143.0					'n' Clean gents wit	foam nozzle. Easy cha th just a simple click.	ange system FJ 10 C Connect ange between different deter	
FJ 10 C foam jet Connect 'n' Clean with car shampoo 3-in-1	39	2.643-144.0					Clean for		ystem FJ 10 C Connect 'n' ge between different deter-	
FJ 10 C foam jet Connect 'n' Clean with stone cleaner 3-in-1	40	2.643-145.0					Clean for		system FJ 10 C Connect 'n' ge between different deter-	
FJ 3 foam jet	41	2.643-150.0					foam cle	aner). For cars, motor	with powerful foam (e.g. ultr cycles etc. and for applying I wood surfaces and façades.	
Miscellaneous			1			1				
SH 5 suction hose	42	2.643-100.0					sucking ι		etre long suction hose for tive sources such as water	
Sand and wet-blasting kit	43	2.638-792.0						l wet-blasting kit for r using Kärcher abrasi	removing rust, paint and stub ve.)- 🗆
Vario joint	44	2.640-733.0					Vario joi For conn	nt, rotates 180° for cle	ve. eaning difficult to reach area nd accessory or extension	is.
Water filter	45	4.730-059.0					Water fil		washer pumps against dirt	
Included in the scope of supr			viee				I pui deles			



		Order no.		Price	Description	
O-ring set	46	2.640-729.0			Replacement O-ring set for easy replacement of O-rings and safety plugs on pressure washer accessories.	
Organiser	47	2.641-630.0			Kårcher organiser, the practical wall-mounted storage sys- tem for Kårcher accessories. With two modules for flexible mounting. Ideal for protecting wash brushes and bristles from bending.	
Water filter	48	2.642-794.0			Water filter to protect the high-pressure pump against dirt particles from contaminated water.	
SH 3 suction hose	49	2.643-101.0			3 metre suction hose for drawing water from alternative sources such as water butts and barrels.	

KARCHER

2 2 2 10 11		4	5	* -0	6-7			
		Order no.			Price	Description		
Hose storage and hose trolley								
Premium Hose Reel HR 7.315 Kit 5/8"	1	2.645-165.0				Watering station with detachable hose reel, storage option for nozzles and sprinklers, large storage box and fixing option for spray lances. Fully equipped.		
Hose Trolley HT 3.420 Kit 5/8"	2	2.645-167.0				Fully assembled hose trolley with height-adjustable handle, angled hose connection, freewheeling crank handle and sophisticated folding function for space-saving storage.		
Premium Hose Reel HR 7.315 Kit 1/2"	3	2.645-164.0				Fully equipped watering station. With detachable hose reel, storage for nozzles and sprinklers, large storage box and fixing option for spray lances.		
Hoses		1		<u> </u>		hang option for spray lances.		
Hose set for pressure washers	4	2.645-156.0				Hose set for high-pressure cleaning and garden watering. With 10m PrimoFlex [®] hose (3/4"), G3/4 tap adaptor, univer- sal hose connector and universal connector with Aqua Stop.		
Water supply hose set	5	2.645-258.0				Hose set for water supply (pressure washer, garden water- ing). With 10 m PrimoFlex* hose (½"), hose connector with and without Aqua Stop, universal connection for taps with- out thread.		
PrimoFlex* hose 1/2" - 20 m	6	2.645-138.0				The robust PrimoFlex [®] (1/2") garden hose is a 20m long, temperature-resistant (from -20 to 65°C) and physiologically safe water hose with pressure-proof coating. Bursting pres- sure: 24 bar.		
PrimoFlex [®] hose 3/4" - 25 m	7	2.645-142.0				PrimoFlex [®] quality garden hose (3/4"). 25 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from -20 to 65 °C.		
Hose connection systems								
Universal hose coupling Plus	8	2.645-193.0				Universal hose coupling plus with soft plastic recessed grips for comfortable handling. Compatible with all click systems.		
Universal hose coupling Plus with Aqua Stop	9	2.645-194.0				Universal hose coupling plus with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with all click systems.		
Universal Hose Connector with Aqua Stop	10	2.645-192.0				Universal hose connector with Aqua Stop in ergonomic design for comfortable handling.		
Universal Hose Connector	11	2.645-191.0				Universal hose connector in ergonomic design for comfortable handling.		