



# Puzzi 8/1 C

The Puzzi 8/1 C is a powerful entry-level spray extraction machine. The spray extraction machine can be used for upholstery cleaning or for removing stains on carpets. Because an extremely small amount of residual moisture remains after cleaning, cleaned carpets and upholstery can be quickly used again. Equipped as standard with a spray vacuum hose and ergonomic hand nozzle.





### 1 Low weight

At 9.8 kg, the Puzzi 8/1 C is easy to carry and 35% lighter than the competition. Ideal for intermediate cleaning, thanks to rapid drying.
 Easily transported, even over obstacles and stairs.

### 2 Compact design

- The Puzzi 8/1 C also shows its strengths when cleaning upholstery and vehicle interiors.
- Compact, space-saving design.



### 3 Convenient handling and good accessibility

Easily removable dirty water tank, easy disposal of dirty water and refilling of the fresh water tank.

4 User-friendly operation

A large foot switch for ergonomic operation makes it easier to concentrate on the cleaning task.

## **TECHNICAL DATA AND EQUIPMENT**



### Puzzi 8/1 C

- Foldable cable hook
- Large foot switch
  Accessory storage for hand nozzle

| Technical data               |            |                 |
|------------------------------|------------|-----------------|
| Order No.                    |            | 1.100-225.0     |
| EAN code                     |            | 4039784962200   |
| Air flow rate                | l/s        | 61              |
| Vacuum                       | mbar / kPa | 230 / 23        |
| Spray rate                   | l/min      | 1               |
| Spray pressure/back pressure | bar        | 1               |
| Fresh/dirty water tank       | I          | 8 / 7           |
| Turbine power                | w          | 1200            |
| Pump power                   | W          | 40              |
| Weight                       | kg         | 9.8             |
| Dimensions (L × W × H)       | mm         | 530 × 330 × 440 |
| Voltage                      | V          | 220-240         |
| Frequency                    | Hz         | 50-60           |
|                              |            |                 |

### Equipment

| Spray hose with integrated water feed          | m | 2.5 |
|--|---|-----|
| Integral accessory holder for manual<br>nozzle |   |     |
| Power cord                                     | m | 7.5 |
| Upholstery nozzle                              |   |     |
| Handle with trigger                            |   |     |
| Cable hook                                     |   |     |

Included in the scope of supply.

### KÄRCHER

## PUZZI 8/1 C 1.100-225.0

| 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2               |    | 3           |            |       | 0      | 5      |       |  |      |
|---|----|-------------|------------|-------|--------|--------|-------|--|------|
|   |    | Order No.   | Quantity   | ID    | Width  | Length | Price | Description  |      |
| Upholstery tools                                      |    |             |            |       |        |        |       |  |      |
| Upholstery nozzle                                     | 1  | 4.130-001.0 | 1 piece(s) | ID 32 | 110 mm |        |       | Upholstery nozzle, 110 mm.   |      |
| Hand nozzle   | 2  | 4.130-116.0 | 1 piece(s) | ID 32 | 110 mm |        |       | Plastic, DN 32, with transparent window. For cleaning up-<br>holstery or small areas that are hard to reach with the floor<br>tool.                                |      |
| Window cleaning kit                                   | 3  | 2.638-778.0 | 1 piece(s) | ID 32 |        |        |       | With 2 m hose, connects to spray suction hose of Puzzi 8/1<br>C, Puzzi 100 and Puzzi 200.  |      |
| Stair nozzle  | 4  | 4.130-128.0 | 1 piece(s) | ID 32 | 230 mm |        |       | Two-part, plastic coupling, short aluminium tube.  |      |
| Spray/suction hoses                                   |    | 1           |            |       |        |        |       |  |      |
| Spray/suction hose, 2.5 m                             | 5  | 6.394-826.0 | 1 piece(s) | ID 32 |        | 2.5 m  |       | Standard spray/suction hose.   |      |
| Spray extraction hose ID 32                           | 6  | 6.391-411.0 | 1 piece(s) | ID 32 | 4 m    |        |       | Spray suction hose, complete with robust quick connect plastic coupling, 4 m.  |      |
| Spray/suction hose, 4 m                               | 7  | 6.394-375.0 | 1 piece(s) | ID 32 |        | 4 m    |       | Optional 4 m spray/suction hose.   |      |
| <b>Other</b><br>Handle                                | 8  | 4.130-000.0 | 1 piece(s) | ID 32 |        |        |       | Enables quick change of floor, upholstery and crevice noz-<br>zles. With sight glass for checking the vacuumed dirty water<br>Adapters for spray and suction hose. | r. 🔳 |
| Defoamer dosage                                       | 9  | 4.006-907.0 | 1 piece(s) | ID 32 |        |        |       | Container for defoamer solution.   |      |
| Extension tube  | 10 | 4.025-004.0 | 1 piece(s) | ID 32 | 780 mm |        |       | Extension tube, individual.  |      |
| Crevice nozzle  | 11 | 4.130-010.0 | 1 piece(s) | ID 32 |        |        |       | Crevice nozzle for spray extraction cleaners.  |      |
| D-handle  | 12 | 4.321-001.0 | 1 piece(s) |       |        |        |       | D-handle, individual, for extension tube 4.025-004.0. Ad-<br>justable without tools  |      |
| Floor tools   |    |             | 1          |       |        |        | 1     |  | 1-   |
| Nozzle complete                                       | 13 | 4.130-127.0 | 1 piece(s) | ID 32 | 230 mm |        |       | Two-part, plastic coupling with aluminium tube.  |      |
| Nozzle metal with packing                             | 14 | 4.130-394.0 | 1 piece(s) | ID 32 | 230 mm |        |       | Two-part, quick connect plastic coupling, aluminium tube,<br>metal nozzle.   |      |
| Flexible floor nozzle, 240 mm, complete               | 15 | 4.130-007.0 | 1 piece(s) | ID 32 | 240 mm |        |       | Kit consisting of floor nozzle (240 mm), suction pipe and<br>D-handle. Transparent field of view for checking the vacu-<br>umed dirty water. Flexible squeegee.    |      |
| Flexible floor nozzle, 240 mm,<br>individual          | 16 | 4.130-008.0 | 1 piece(s) | ID 32 | 240 mm |        |       | Floor nozzle (240 mm), individual. Transparent field of view<br>for checking the vacuumed dirty water. Flexible suction bar<br>Included in kit 4.130-007.0.        |      |
| Stone carpet tools<br>Stone carpet, hard-surface tool | 17 | 4.130-117.0 | 1 piece(s) | ID 32 | 330 mm |        |       | Two-part, quick connect plastic coupling, wet floor nozzle (metal) with spray nozzle.  |      |
| Hard surface adapters                                 |    |             |            |       |        |        |       |  |      |
| nalu sollace auapters                                 |    |             |            |       |        |        |       |  |      |