



### T 10/1

This machine is a supremely robust, functional and powerful dry vacuum cleaner for professional users with optimal ergonomic properties and a compact construction, which is developed for the specific needs from hotels, gastronomy, contract cleaners and retail.

#### 1 Cable hook

The power cable is simply attached to the cable hook. This prevents dangerous tripping hazards during transport.

#### 2 On-board accessory storage

■ The accessory storage is integrated in the large bumper.

# **TECHNICAL DATA AND EQUIPMENT**





### T 10/1

- $\ lacksquare$  Parking position for floor nozzle
- Cable hook
- Accessory storage

Technical data		
Order No.		1.527-150.0
EAN code		4039784725102
Air flow rate	I/s	53
Vacuum	mbar / kPa	240 / 24
Container capacity	1	10
Max. rated input power	W	max. 800
Standard nominal width		35
Cable length	m	10
Sound pressure level	dB(A)	59
Sound power level	dB(A)	73
Weight	kg	6.3
Dimensions (L × W × H)	mm	355 × 310 × 385

Equipment		
Suction hose	m	2.5
Suction Tube	piece(s) / m	2 × 0.5 / Metal
Filter bag		fleece
Washable nylon filter (main filter)		1
Switchable floor nozzle	mm	270
Container material		plastic
Clip system for hose extension		
Safety class		
Permanent filter basket, nylon		
Included in the scene of supply		

Included in the scope of supply.































		Quantity	ID	Length	Width	Price	Description	
	Order No.							
				1				
1	6.414-611.0	5 piece(s)					Motor protection filter, removable fleece, which can be replaced when heavily soiled.	•
	1		1					
2	5.731-624.0	1 piece(s)					Filter basket for T 7/1 and T 10/1 can be used as a main filter with or without filter bag. Plastic frame with nylon fabric, washable up to 40°C.	•
3	5.731-649.0	1 piece(s)					Plastic frames with reinforced fleece material, washably to 40°C.	
4	6.904-315.0	10 piece(s)					Extremely tear-resistant, 3-ply fleece filter bags, dust class M. Fleece filter bags have 2 to 3 times the capacity of conventional paper filter bags. Standard for T 10/1 and T 12/1.	•
5	6.904-321.0	200 piece(s)					Fleece filter bag, 3-ply, tear-proof, dust class M, large-scale consumer unit.	
	ı							
6	2.889-148.0	1 piece(s)	ID 35				Ergonomic bend for the new clip system. With airflow control slide, in an antistatic design.	•
ı	ı		1					
							Parquet nozzle with wide working width	
9	2.009-197.0	1 piece(s)	10 33		300 111111			
10	6.902-074.0	1 piece(s)	ID 35	505 mm			Suction tube, metal, chrome-plated, NW 35. Length: 0.5 metres.	•
n)								
11	2.889-133.0	1 piece(s)	ID 35	2.5 m			2.5 m suction hose with new clip fastener, C 35.	
ı	ı	1	1	1				
12							industrial dry vacuum cleaners (e.g. T 7/1 und T 10/1).	
13	6.904-337.0	300 piece(s)					For bulk consumers: 300 paper filter bags (BIA-C dust class M) suitable for all T 7/1 and T 10/1 industrial dry vacuum cleaners.	
14	6.904-370.0	10 piece(s)					Paper filter bags for low dust disposal.	
15	6.904-316.0	1 piece(s)					Cotton filter bags, washable up to 40°C, suitable for T7/1, T 10/1 and T 12/1 models.	
	1			_				
16	2.889-130.0	1 piece(s)	ID 35	210 mm			Plastic crevice nozzle.	
	1	1	1					
17	2.860-113.0	1 piece(s)	ID 32		160 mm		Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve.	
18	2.860-114.0	1 piece(s)	ID 32		270 mm		Plastic turbo floor nozzle (DN 35/32, 270 mm) with reduction sleeve.	
19	6.902-077.0	1 piece(s)	ID 32				Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.	
								1
	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	1 6.414-611.0  2 5.731-624.0  3 5.731-649.0  4 6.904-315.0  5 6.904-321.0  6 2.889-148.0  7 2.889-129.0  8 2.889-197.0  10 6.902-074.0  11 2.889-133.0  12 6.904-333.0  13 6.904-337.0  14 6.904-370.0  15 6.904-316.0  16 2.889-130.0  17 2.860-113.0  18 2.860-114.0	1 6.414-611.0 5 piece(s)  2 5.731-624.0 1 piece(s)  3 5.731-649.0 1 piece(s)  4 6.904-315.0 10 piece(s)  5 6.904-321.0 200 piece(s)  6 2.889-148.0 1 piece(s)  7 2.889-129.0 1 piece(s)  8 2.889-196.0 1 piece(s)  9 2.889-197.0 1 piece(s)  10 6.902-074.0 1 piece(s)  11 2.889-133.0 1 piece(s)  12 6.904-333.0 10 piece(s)  13 6.904-337.0 300 piece(s)  14 6.904-370.0 10 piece(s)  15 6.904-316.0 1 piece(s)  16 2.889-130.0 1 piece(s)  17 2.860-113.0 1 piece(s)  18 2.860-114.0 1 piece(s)	1 6.414-611.0 5 piece(s)  2 5.731-624.0 1 piece(s)  3 5.731-649.0 1 piece(s)  4 6.904-315.0 10 piece(s)  5 6.904-321.0 200 piece(s)  6 2.889-148.0 1 piece(s) ID 35  7 2.889-129.0 1 piece(s) ID 35  8 2.889-196.0 1 piece(s) ID 35  9 2.889-197.0 1 piece(s) ID 35  10 6.902-074.0 1 piece(s) ID 35  11 2.889-133.0 1 piece(s) ID 35  12 6.904-337.0 300 piece(s)  13 6.904-370.0 10 piece(s)  14 6.904-370.0 1 piece(s)  15 6.904-316.0 1 piece(s)  16 2.889-130.0 1 piece(s)  17 2.860-113.0 1 piece(s) ID 32  18 2.860-114.0 1 piece(s) ID 32	1 6.414-611.0 5 piece(s)  2 5.731-624.0 1 piece(s)  3 5.731-649.0 1 piece(s)  4 6.904-315.0 10 piece(s)  5 6.904-321.0 200 piece(s)  6 2.889-148.0 1 piece(s) ID 35  7 2.889-129.0 1 piece(s) ID 35  8 2.889-196.0 1 piece(s) ID 35  9 2.889-197.0 1 piece(s) ID 35  10 6.902-074.0 1 piece(s) ID 35  11 2.889-133.0 1 piece(s) ID 35  12 6.904-333.0 10 piece(s)  13 6.904-370.0 10 piece(s)  14 6.904-370.0 10 piece(s)  15 6.904-316.0 1 piece(s)  16 2.889-130.0 1 piece(s)  17 2.860-113.0 1 piece(s) ID 32  18 2.860-114.0 1 piece(s) ID 32	1   6.414-611.0   5 piece(s)	1 6.414-611.0 5 piece(s)  2 5.731-624.0 1 piece(s)  3 5.731-649.0 1 piece(s)  4 6.904-315.0 10 piece(s)  5 6.904-321.0 200 piece(s)  6 2.889-148.0 1 piece(s)  8 2.889-199.0 1 piece(s)  9 2.889-197.0 1 piece(s)  10 35 295 mm  8 2.889-197.0 1 piece(s)  10 35 360 mm  9 12 889-197.0 1 piece(s)  10 35 505 mm  10 6.902-074.0 1 piece(s)  11 2.889-133.0 1 piece(s)  12 6.904-333.0 10 piece(s)  13 6.904-337.0 300 piece(s)  14 6.904-370.0 10 piece(s)  15 6.904-316.0 1 piece(s)  16 2.889-130.0 1 piece(s)  17 2.860-113.0 1 piece(s)  18 2.860-114.0 1 piece(s)  19 22 160 mm  10 10 270 mm	1   6.414-611.0   5 piece(s)   Motor protection filter, removable fleece, which can be replaced when heavily soiled.     2   5.731-624.0   1 piece(s)   Filter basket for T 7/1 and T 10/1 can be used as a main filter with or without filter bag. Plastic frame with nylon fabric, washable up to 40°C.     4   6.904-315.0   10 piece(s)   Plastic frames with reinforced fleece material, washably to 40°C.     5   6.904-321.0   200 piece(s)   Extremely tear-resistant. 3-ply fleece filter bags, dust class M. Fleece filter bags have 2 to 3 times the capacity of conventional paper filter bags. Standard for T 10/1 and T 12/1.     6   2.889-148.0   1 piece(s)   ID 35   Ergonomic bend for the new clip system. With airflow control slide, in an antistatic design.     7   2.889-129.0   1 piece(s)   ID 35   350 mm   Plastic floor nozzle. ID 35 and switchable.     8   2.889-190.0   1 piece(s)   ID 35   300 mm   Parquet nozzle with wide working width     9   2.889-190.0   1 piece(s)   ID 35   300 mm   Parquet nozzle with wide working width     10   6.902-074.0   1 piece(s)   ID 35   2.5 m   Suction tube, metal, chrome-plated, NW 35. Length: 0.5 metres.     11   2.889-133.0   1 piece(s)   ID 35   2.5 m   2.5 m suction hose with new clip fastener, C 35.     12   6.904-333.0   10 piece(s)   ID 35   2.5 m   2.5 m suction hose with new clip fastener, C 35.     13   6.904-370.0   10 piece(s)   ID 35   2.5 m   Plastic floor hose with new clip fastener, C 35.     14   6.904-370.0   10 piece(s)   ID 35   2.5 m   Plastic floor hose with new clip fastener, C 35.     15   6.904-316.0   1 piece(s)   ID 35   2.10 mm   Plastic curvice nozzle.     16   2.889-130.0   1 piece(s)   ID 32   IG0 mm   Plastic curvice nozzle.     17   2.860-113.0   1 piece(s)   ID 32   IG0 mm   Plastic curvice nozzle (IDN 35/32, 160 mm) with reduction sleeve.     18   2.860-114.0   1 piece(s)   ID 32   IG0 mm   Plastic curvice nozzle (IDN 35/32, 270 mm) with reduction sleeve.     19   6.902-077.0   1 piece(s)   ID 32   IG0 mm   Plastic curvice nozzle (IDN 35/32, 270 mm)

## T 10/1 1.527-150.0







		Order No.	Quantity	ID	Length	Width	Price	Description	
Reducers (tube -> nozzle)					I.	1			
Reducer from ID 35 to ID 32	21	6.902-072.0	1 piece(s)	ID 35				Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.	
Reduction/expansion adapter kit									
Set of reducers / adapter sleeves	22	2.860-117.0	1 piece(s)					DN 40/35, DN 35/32 (tube -> nozzle), plastic.	

<sup>■</sup> Included in the scope of supply. 

□ Available accessories.